LISTING OF THE CLAIMS

This listing of claims will replace all prior versions and listings of claims in this

application.

47-53. (canceled)

54. (currently amended) A bispecific antibody comprising a first polypeptide and a

second polypeptide, wherein:

(a) the first polypeptide comprises a first heavy chain variable domain, a first

multimerization domain, a light chain variable domain, and wherein a first binding domain is

formed by the first heavy chain variable domain and a said-light chain variable domain;

(b) the second polypeptide comprises a second heavy chain variable domain, a second

multimerization domain, said light chain variable domain, wherein a second binding domain

is formed by the second heavy chain variable domain and said light chain variable domain,

and wherein the first and second binding domains bind different antigens;

(c) the first and second polypeptides dimerize by interaction of the first and second

multimerization domain to form a bispecific antibody, wherein the first and second

multimerization domains each comprise at least a part of a C_H3 domain of an antibody

constant domain.

55. (previously presented) The bispecific antibody of claim 54, wherein the

multimerization domains of the first and second polypeptide interact at an amino acid side

chain protuberance of one of the first and second polypeptides and an amino acid side chain

cavity of the other polypeptide.

56. (previously presented) The bispecific antibody of claim 54, further comprising a non-

naturally occurring disulfide between the first and second polypeptides.

57. (currently amended) The bispecific antibody of claim 56, wherein the multimerization

domain is at least a part of a C_H3 domain of an antibody constant contact domain, and the

non-naturally occurring disulfide bond is between the C_H3 multimerization domains of the

first and second polypeptide.

Response to Office Action (Dated: April 10, 2008 – Paper No. 20080402) Application Serial No. 09/520,130

Attorney's Docket No. GNE-0215 R2C1

Attorney's Docket IV

58. (previously presented) A composition comprising the bispecific antibody of claim 54 and a carrier.

59. (previously presented) A bispecific antibody comprising:

(a) a common light chain variable domain that has three complementarity determining regions (CDRs) and at least 98% sequence identity to a first light chain variable domain of a first antibody and/or a second light chain variable domain of a second antibody,

wherein the common light chain variable domain only differs from the first and/or second light chain variable domain at amino acid positions outside of the CDRs;

(b) a first polypeptide which comprises a first heavy chain variable domain from the first antibody and a first multimerization domain comprising a first C_H3 domain;

(c) a second polypeptide which comprises a second heavy chain variable domain from the second antibody and a second multimerization domain comprising a second C_H3 domain;

wherein a first binding domain comprises the first heavy chain variable domain and the common light chain variable domain and a second binding domain comprises the second heavy chain variable domain and the common light chain variable domain, wherein the first and second binding domains bind different antigens, and the first and second multimerization domains interact to form a bispecific antibody.

60. (previously presented) The bispecific antibody of claim 59, wherein the common light chain variable domain has 100% sequence identity to the first and second variable light chain domain.

61. (previously presented) The bispecific antibody of claim 59, wherein the first multimerization domain has a protuberance and the second multimerization domain has a cavity and the first and second multimerization domains interact via fitting of the protuberance into the cavity.

62. (previously presented) The bispecific antibody of claim 61, further comprising a non-naturally occurring disulfide bond between the first and second multimerization domain.

63. (previously presented) A composition comprising the bispecific antibody of claim 59 and a carrier.

- 64. (currently amended) A bispecific antibody comprising four polypeptides wherein a first and a second of said polypeptides each comprise a heavy chain constant domain and a heavy chain variable domain, and a third and a fourth of said polypeptides are each common light chains that are either identical to each other, or are identical to each other within the a complementary complementarity determining regions (CDRs) and different to each other outside of the CDRs, wherein said first polypeptide and said third polypeptide form a binding domain that binds a first antigen, and wherein said second polypeptide and said fourth polypeptide form a binding domain that binds a second antigen, and wherein said first polypeptide and said third polypeptide dimerize with said second polypeptide dimerize and said fourth polypeptide to form a bispecific antibody.
- 65. (previously presented) The bispecific antibody of claim 64, wherein the first polypeptide further comprises a first multimerization domain, and the second polypeptide further comprises a second multimerization domain, and wherein the first and second polypeptides dimerize by interaction of the first and second multimerization domains to form a bispecific antibody.
- 66. (previously presented) The bispecific antibody of claim 65, wherein the multimerization domains of the first and second polypeptide interact at an amino acid side chain protuberance of one of the first and second polypeptides and an amino acid side chain cavity of the other polypeptide.
- 67. (previously presented) The bispecific antibody of claim 65, further comprising a non-naturally occurring disulfide bond between the first and second polypeptide.
- 68. (previously presented) The bispecific antibody of claim 67, wherein the multimerization domain is at least a part of a C_H3 domain region of an antibody constant domain, and the non-naturally occurring disulfide bond is between the C_H3 multimerization domains of the first and second polypeptide.
- 69. (previously presented) A composition comprising the bispecific antibody of claim 64 and a carrier.